

### Bid Document

Bid Details	
<b>Bid End Date/Time</b>	22-02-2022 15:00:00
<b>Bid Opening Date/Time</b>	22-02-2022 15:30:00
<b>Bid Life Cycle (From Publish Date)</b>	90 (Days)
<b>Bid Offer Validity (From End Date)</b>	65 (Days)
<b>Ministry/State Name</b>	Ministry Of Agriculture And Farmers Welfare
<b>Department Name</b>	Department Of Agricultural Research And Education (dare)
<b>Organisation Name</b>	Indian Council Of Agricultural Research (icar)
<b>Office Name</b>	Cife, Mumbai
<b>Total Quantity</b>	140
<b>Item Category</b>	Revolving Chair (Q3) , Sofas (Q3) , Executive Table (Q3) , Steel Filing Cabinets (Q3) , Centre Table (Q3) , Laboratory Benches (Q3) , Tables (Q3) , Wooden Almirah (Q3) , Modular Drawer Pedestal Unit (Q3) , Metal Shelving Racks-IS:1883 (Q3) , Almirah Steel-IS:3312 (Q3)
<b>Minimum Average Annual Turnover of the Bidder</b>	7 Lakh (s)
<b>Years of Past Experience required</b>	1 Year (s)
<b>MSE Exemption for Years Of Experience and Turnover</b>	Yes
<b>Startup Exemption for Years Of Experience and Turnover</b>	Yes
<b>Document required from seller</b>	Experience Criteria,Past Performance,Bidder Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Past Performance</b>	30 %
<b>Bid to RA enabled</b>	No
<b>RCM Applicable</b>	Yes
<b>Primary product category</b>	Revolving Chair
<b>Time allowed for Technical Clarifications during technical evaluation</b>	3 Days
<b>Evaluation Method</b>	Item wise evaluation

#### EMD Detail

Advisory Bank	State Bank of India
---------------	---------------------

EMD Percentage(%)	2.00
-------------------	------

### ePBG Detail

Advisory Bank	State Bank of India
ePBG Percentage(%)	3.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD % will be applicable for each schedule/group selected during Bid creation.

(c). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

### Beneficiary:

Assistant Administrative Officer (Purchase)  
Cife, Mumbai, Department of Agricultural Research and Education (DARE), Indian Council of Agricultural Research (ICAR), Ministry of Agriculture and Farmers Welfare  
(Suraj Vishwambhar Gupta)

### Splitting

Bid splitting not applied.

### MII Purchase Preference

MII Purchase Preference	Yes
-------------------------	-----

### MSE Purchase Preference

MSE Purchase Preference	Yes
-------------------------	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or

through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

6. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

### Evaluation Method ( Item Wise Evaluation Method )

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	101460	Revolving Chair	12
Schedule 2	144637.5	Revolving Chair	29

Schedule 3	196000	Sofas	7
Schedule 4	188800	Executive Table	10
Schedule 5	186780	Executive Table	22
Schedule 6	12950	Steel Filing Cabinets	1
Schedule 7	7552	Centre Table	4
Schedule 8	102000	Laboratory Benches	2
Schedule 9	1000	Tables	1
Schedule 10	19200	Wooden Almirah	4
Schedule 11	22275	Modular Drawer Pedestal Unit	3
Schedule 12	48000	Executive Table	12
Schedule 13	3500	Wooden Almirah	1
Schedule 14	18000	Metal Shelving Racks-is:1883	4
Schedule 15	205114	Almirah Steel-is:3312	14
Schedule 16	30723	Almirah Steel-is:3312	3
Schedule 17	171930	Revolving Chair	11

### Revolving Chair ( 12 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	<b>Arm Material</b>	Proopylene
	<b>seat material</b>	PU Foam covered with Fabric
	<b>Material of Fabric Back Cover / Material for Backrest</b>	100% polyester fabric
	<b>Material of Fabric of Seat Cover</b>	100% polyester fabric
GENERAL	<b>Chair Type</b>	360 Degree swivel,posture control with multilocking position synchronized mechanism
	<b>Height Adjustment ± 5(mm)</b>	up to 90 mm
	<b>Arm</b>	With
	<b>Type of backrest support</b>	backrest symmetrical lumber support
	<b>Arm Type</b>	Adjustable

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Ergonomic Seat Design</b>	Yes
	<b>Back type</b>	push back
	<b>backrest has separate adjustable headrest</b>	No
	<b>Seat type</b>	fixed
	<b>Number of arm movement</b>	2(up & down)
	<b>Lumber support</b>	N.A
DIMENSION	<b>Overall Chair Height ±15mm</b>	990
	<b>Backrest Height ±15mm</b>	520.0
	<b>Backrest Width ±10mm</b>	440.0
	<b>Seat Height ±15 mm</b>	450
	<b>Seat Width ±10 mm</b>	480
	<b>Seat Depth ±10 mm</b>	460.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	1.2
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	N.A
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	N.A
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	40 mm
<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	35 mm	
WARANTEE	<b>Warrantee period in number of years</b>	5-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	NO
	<b>BIFMA Certification</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Green guard certification</b>	YES
	<b>Aiota</b>	YES

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	12	45

**Revolving Chair ( 29 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	<b>Arm Material</b>	pu foam bonded chrome coted
	<b>seat material</b>	PU Foam Covered With pure leatherite
	<b>Material of Fabric Back Cover / Material for Backrest</b>	Leatherite, N.A
	<b>Material of Fabric of Seat Cover</b>	leatherite
GENERAL	<b>Chair Type</b>	central tilt
	<b>Height Adjustment ± 5(mm)</b>	up to 120 mm
	<b>Arm</b>	With
	<b>Type of backrest support</b>	backrest symmetrical lumber support
	<b>Arm Type</b>	Fixed
	<b>Ergonomic Seat Design</b>	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Back type</b>	fixed
	<b>backrest has separate adjustable headrest</b>	No
	<b>Seat type</b>	fixed
	<b>Number of arm movement</b>	N.A
	<b>Lumber support</b>	external & fixed
DIMENSION	<b>Overall Chair Height ±15mm</b>	920
	<b>Backrest Height ±15mm</b>	460.0
	<b>Backrest Width ±10mm</b>	440.0
	<b>Seat Height ±15 mm</b>	480
	<b>Seat Width ±10 mm</b>	440
	<b>Seat Depth ±10 mm</b>	500.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	0.4
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	15 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	12 mm
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	45 mm
<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	30 mm	
WARANTEE	<b>Warrantee period in number of years</b>	1-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	NO
	<b>BIFMA Certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	NO
	<b>OEM of offered product is ISO 14001:2015 certified</b>	NO
	<b>OEM of offered product is ISO 18001:2007 certified</b>	NO
	<b>Green guard certification</b>	NO
	<b>Aiota</b>	NO

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	29	45

**Sofas ( 7 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Generic	<b>Total Number of Seats in the Sofa Set (Nos)</b>	5
	<b>Number of Single Seater Units (Nos)</b>	2
	<b>Number of Two Seater Units (Nos)</b>	NO TWO SEATER UNIT
	<b>Number of Three Seater Units (Nos)</b>	1
	<b>Number of Four Seater Units (Nos)</b>	NO FOUR SEATER UNITS
	<b>Frame Covering</b>	Partially Upholstered
	<b>Sofa Set is Foldable to use as bed</b>	No
	<b>Covering Material for Seat and Backrest</b>	rexin
Material	<b>Frame Structure Material and size (±1 mm)</b>	18 mm teak plywood
	<b>Seat Cushion Material</b>	foam

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Type of Spring in the Base / Seating</b>	eight way hand tied spring
Dimension	<b>Length of Single Seater Units in mm (<math>\pm 5</math> mm)</b>	508
	<b>Length of Two Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Length of Three Seater Units in mm (<math>\pm 10</math> mm)</b>	1200
	<b>Length of Four Seater Units in mm (<math>\pm 10</math> mm)</b>	N.A
	<b>Depth of Sofa Units in mm (<math>\pm 10</math> mm)</b>	457
	<b>Sofa Height (Without Back Cushion) <math>\pm 5</math> (mm)</b>	400.0
	<b>Sofa Height (With Back Cushion) <math>\pm 5</math> mm</b>	600.0
	<b>Seat Cushion Length <math>\pm 5</math> (mm)</b>	710
	<b>Seat Cushion Width <math>\pm 5</math> (mm)</b>	NA
	<b>Seat Cushion Thickness <math>\pm 5</math> (mm)</b>	NA
	<b>Backrest Cushion Length <math>\pm 5</math> (mm)</b>	710
	<b>Backrest Cushion Width <math>\pm 5</math> (mm)</b>	NA
Warranty	<b>WARRANTY PERIOD IN NUMBER OF YEARS</b>	1

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	7	45

### Executive Table ( 10 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Storage provided</b>	One side
	<b>Keyboard tray</b>	NA
	<b>Foot rest</b>	NA
MATERIAL	<b>Table top Material</b>	Teak wood (Veneer top with teak wood edges with half round profile)
	<b>Gable end and modesty panel material</b>	Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	<b>Leg Material</b>	NO LEGS
DIMENSION	<b>Thickness of table top <math>\pm 2</math> mm</b>	25.0
	<b>Length of table top <math>\pm 10</math> mm</b>	2100.0
	<b>Depth of table <math>\pm 10</math> mm</b>	950.0
	<b>Height of table <math>\pm 10</math> mm</b>	750.0
	<b>Dimension of leg(mmXmm) <math>\pm 5</math>mm</b>	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	Triple storage
FOOTREST	<b>Material thickness of footrest <math>\pm 2</math>mm</b>	N.A
WARRANTY	<b>Warrantee period in number of years</b>	1
CERTIFICATION	<b>Product having BIFMA certification</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES

Specification	Specification Name	Bid Requirement (Allowed Values)
	OEM of offered product is ISO 18001:2007 certified	YES

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	10	45

#### Executive Table ( 22 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Storage provided	One side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MATERIAL	Table top Material	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Gable end and modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	NO LEGS
DIMENSION	Thickness of table top $\pm 2$ mm	25.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	Length of table top ±10 mm	900.0
	Depth of table ±10 mm	600.0
	Height of table ±10 mm	750.0
	Dimension of leg(mmXmm) ±5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage
FOOTREST	Material thickness of footrest ±2mm	N.A
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	22	45

#### Steel Filing Cabinets ( 1 pieces )

**(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Number of Drawer (NOS)</b>	4
	<b>Drawer suspension</b>	Telescopic Slide
	<b>Lock</b>	Provided
	<b>Locking Mechanism</b>	central locking mechanism
	<b>Movable with Wheels at bottom</b>	No
	<b>Loading Capacity of drawer in kg (+/- 2 Kg)</b>	50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200 Or higher
MATERIAL	<b>Sheet Thickness of Side, Back, Top and bottom in mm (+/- 5%)</b>	0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	<b>Sheet Thickness of Filing Drawer in mm (+/- 5%)</b>	0.8, 0.9, 1, 1.1, 1.2, 1.3, 1.4, 1.5, 1.6, 1.7, 1.8, 1.9, 2 Or higher
	<b>Clutch compressor strip or Cradle strip</b>	MS Sheet (Not as per IS 3313)
DIMENSION	<b>Overall Height +/- 10(mm)</b>	1300.0
	<b>Width +/- 10 (mm)</b>	430.0
	<b>Depth +/- 10(mm)</b>	600.0
	<b>Height of smallest Drawer +/- 10(mm)</b>	ALL DRAWERS EQUAL
	<b>Height of medium Drawer +/- 10(mm)</b>	ALL DRAWERS EQUAL
	<b>Height of largest Drawer +/- 10(mm)</b>	N.A
COLOUR & FINISH	<b>Finish</b>	Synthetic enamel

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	1	45

**Centre Table ( 4 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Number of storage under top</b>	Single storage in bottom portion
MATERIAL	<b>Top material</b>	Flat glass
	<b>Frame material</b>	Teak wood
DIMENSION & THICKNESS	<b>Dimension of Top (length X Breadth) <math>\pm 20</math>mm</b>	762mm(Dia)
	<b>Height of centre table <math>\pm 10</math> mm</b>	430.0
	<b>Thickness of top material (+/-2 mm)</b>	10.0
	<b>Thickness of frame material (+/- 1 mm)</b>	36.0
WARRANTY	<b>Warranty period in number of years</b>	2

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	4	45

**Laboratory Benches ( 2 meter )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Laboratory benches required for</b>	Physics Lab
	<b>Module of laboratory benches</b>	2- seater
	<b>Type of back of work benches</b>	Wall side type
	<b>Design</b>	With fixed storage i.e combination of drawer and shutter storage plus sink cabinet plus sockets plus eyewash and water outlet accessories etc.
	<b>Underbench storage</b>	With combination of drawers and shutter storage
	<b>Overhead storage</b>	No overhead storage
	<b>Peg board</b>	Without
	<b>Faucet</b>	Deck mounted
	<b>Type of Water Faucet</b>	2 way water Flow
	<b>Mode of Supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	<b>Main understructure (+/- 2 mm)</b>	MS CRC Sq. pipe 40mm X 40mm X 1.6mm with 45-50 micron powder coated
	<b>Top material</b>	Prepolished granite finish
	<b>Thickness of top material (+/- 2 mm)</b>	12.0
	<b>Removable back panel,side cover panel,filler panels</b>	Made of CRCA MS 1mm thickness and coated with epoxy powder
	<b>Sink material</b>	Ceramic
	<b>Material of shelves</b>	N.A
DIMENSION	<b>Width in mm (+/- 5%)</b>	2400 mm(4-seater)
	<b>Depth in mm (+/- 5%)</b>	700 mm(2-seater)

Specification	Specification Name	Bid Requirement (Allowed Values)
	Height in mm (+/- 5%)	900.0
MISC	Number of shutter (Under bench storage)	Two
	Adjustable shelves	N.A
	Shutters	No shutters
	Overhead storage ±5mm	750mm X 250mm X 750mm (both side openable)
WARRANTY	Warranty period in number of years	2, 3 Or higher

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	2	45

#### Tables ( 1 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Unbranded
------------	-----------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
Technical Specifications	Furniture Assembly	Already Assembled
	Table Features	Casting

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	1	45

**Wooden Almirah ( 4 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Unbranded
------------	-----------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Material of Construction</b>	ISI Marked, single layer MDF Board conforming to Grade SBG II of IS 12406/2003 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side
	<b>Number of Shelves (Nos)</b>	2
	<b>Number of Doors (Nos)</b>	3
	<b>Height in mm (±10 mm)</b>	850
	<b>Depth in mm (±5 mm)</b>	455
	<b>Width in mm (±10 mm)</b>	1200
DIMENSIONS	<b>Thickness of Top in mm (±2 mm)</b>	18
	<b>Thickness of Sides in mm (±1 mm)</b>	18
	<b>Thickness of Back in mm (±1 mm)</b>	8
	<b>Thickness of Bottom in mm (±1 mm)</b>	16
	<b>Thickness of shelf in mm (±1 mm)</b>	12

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Thickness of Door in mm (<math>\pm</math> 1 mm)</b>	20
MISC	<b>Type of Doors</b>	Hinged doors of equal width hung with auto closing hinges of 0 cranking overlay type
WARRANTY	<b>Warranty period in number of years</b>	1

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	4	45

#### Modular Drawer Pedestal Unit ( 3 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Unbranded
------------	-----------

#### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of Supply of Modular drawer pedestal unit</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	<b>Material specification</b>	Prelaminated Particle Board of grade II type III of IS:12823/2013. Both sides laminated. Outer side laminated with shade matching with top shade and facia shade and having Matt finish. Balancing Laminate of 0.5 mm thickness on the other side.
WARRANTY	<b>Warranty period in number of years</b>	1

**Input Tax Credit(ITC) and Reverse Charge(RCM) Details**

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	3	45

**Executive Table ( 12 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Mode of supply</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
	<b>Storage provided</b>	Both side
	<b>Keyboard tray</b>	Not provided
	<b>Foot rest</b>	Not Provided
MATERIAL	<b>Table top Material</b>	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	<b>Gable end and modesty panel material</b>	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>Leg Material</b>	NO LEGS
DIMENSION	<b>Thickness of table top ±2 mm</b>	25.0
	<b>Length of table top ±10 mm</b>	1800.0
	<b>Depth of table ±10 mm</b>	900.0
	<b>Height of table ±10 mm</b>	750.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Dimension of leg(mmXmm) ±5mm</b>	No legs
STORAGE UNIT	<b>Number of Storage unit provided</b>	4 drawer and one cupboard ( 3 drawer one side and 1 drawer & 1 cupboard with handle at another side)
FOOTREST	<b>Material thickness of footrest ±2mm</b>	N.A
WARRANTY	<b>Warrantee period in number of years</b>	1
CERTIFICATION	<b>Product having BIFMA certification</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	12	45

#### Wooden Almirah ( 1 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Unbranded
------------	-----------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	<b>Material of Construction</b>	ISI Marked, three layer Prelaminated particle Board conforming to Grade II Type III of IS 12823/2013 laminated with 0.6-0.8 mm thick lamination conforming to IS 2046/1995 and balancing lamination of 0.5 mm thick on the back side
	<b>Number of Shelves (Nos)</b>	4
	<b>Number of Doors (Nos)</b>	2
	<b>Height in mm (±10 mm)</b>	1550
	<b>Depth in mm (±5 mm)</b>	450
	<b>Width in mm (±10 mm)</b>	1020
DIMENSIONS	<b>Thickness of Top in mm (±2 mm)</b>	18
	<b>Thickness of Sides in mm (±1 mm)</b>	18
	<b>Thickness of Back in mm (±1 mm)</b>	14
	<b>Thickness of Bottom in mm (±1 mm)</b>	18
	<b>Thickness of shelf in mm (±1 mm)</b>	18
	<b>Thickness of Door in mm (±1 mm)</b>	18
MISC	<b>Type of Doors</b>	With 4 mm thick Mirror (on door) and Top cornice made of HDF foil wrapped decorative trim
WARRANTY	<b>Warranty period in number of years</b>	2

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	1	45

### Metal Shelving Racks-IS:1883 ( 4 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Unbranded
------------	-----------

### Technical Specifications

\* [As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
GENERIC	Type	OPEN TYPE
	Number of Shelves/Compartments (Top / Ceiling Shelf - not to be counted)	4
MATERIAL	Shelves Material	0.8 mm Thick MS Sheet Conforming to Commercial Quality CR-1, Grade 340 of IS 513
DIMENSION	Depth in mm ( $\pm 5$ mm)	400
	Width in mm ( $\pm 5$ mm)	700
	Height in mm ( $\pm 5$ mm)	1875
MISC	Paint	Stove enameled
WARANTEE	WARANTEE PERIOD IN NUMBER OF YEARS	1

### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	4	45

### Almirah Steel-IS:3312 ( 14 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M.S sheet conforming to commercial quality CR-1,Grade 340 of IS 513:2008 (reaffirmed 2013)(Fifth Revision)Amdt. no.1
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Width of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Sheet Thickness of door</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.8 mm (Minimum)
	<b>Sheet Thickness of Shelves</b>	0.8 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.8 mm (Minimum)
	<b>Material of Lock</b>	steel
	<b>Material of Keys</b>	steel
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No
	<b>No of shelves (Nos)</b>	5
	<b>Type of Shelves</b>	Fixed
	<b>Locker Provided</b>	Yes
	<b>Locking System with the locker</b>	YES
	<b>Number of Doors (Nos)</b>	2
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	3
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A
	<b>Construction</b>	Welded
	<b>Lock</b>	Three Way bolting device controlled by lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1800
	<b>Width (+/- 7 mm)</b>	910.0
	<b>Depth (+/- 5 mm)</b>	480.0
	<b>Inside Height of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Width of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Depth of Locker (+/- 5 mm)</b>	N.A
	<b>Width of Stiffner (+/- 5 mm)</b>	115 mm
	<b>Thickness of MS Sheet of Stiffner</b>	0.8 mm
	<b>Stiffened Pedestal height in mm (±2 mm)</b>	125
	<b>Pedestal Width in mm (±2 mm)</b>	80
COLOUR & FINISH	<b>Finish</b>	Stove Enamel Paint
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	2

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

#### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	14	45

### Almirah Steel-IS:3312 ( 3 pieces )

(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)

Brand Type	Registered Brand
------------	------------------

#### Technical Specifications

[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Material</b>	M S Sheet conforming to Quality Grade D of IS:513/2008 with amend. no. 1 (Not as per IS 3312)
	<b>Material of Almirah Doors</b>	M S Sheet
	<b>Sheet Thickness of Locker</b>	N.A
	<b>Length of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Width of Glass Sheet (+/- 10 mm)</b>	N.A
	<b>Sheet Thickness of door</b>	0.9 mm
	<b>Sheet Thickness of sides,back , Top and Bottom</b>	0.9 mm
	<b>Sheet Thickness of Shelves</b>	0.6 mm
	<b>Sheet Thickness of Pedestal in mm</b>	0.8 mm (Minimum)
	<b>Material of Lock</b>	lock having made of steel with zinc plated finish having brass levers and MAZAK / ZAMAK bolts having zinc plated finish along with MAZAK / ZAMAK handle
	<b>Material of Keys</b>	keys made of MAZAK / ZAMAK having nickle plated finish
GENERIC	<b>Conformity to Indian Standard IS:3312 latest</b>	No
	<b>No of shelves (Nos)</b>	3
	<b>Type of Shelves</b>	Adjustable
	<b>Locker Provided</b>	No
	<b>Locking System with the locker</b>	NA
	<b>Number of Doors (Nos)</b>	2

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Door Stiffner upto full door height Provided with the almirah doors</b>	Yes
	<b>Number of Hinges with each door (Nos) - No hinges if having sliding door with top hanging arrangement</b>	1
	<b>Number of Glass Sheet fixed in each Almirah door (Nos)</b>	N.A
	<b>Construction</b>	Welded
	<b>Lock</b>	Three Way bolting device controlled by 6 lever lock
DIMENSION	<b>Height (Without Pedestal) (in mm) (+/- 10 mm)</b>	1155
	<b>Width (+/- 7 mm)</b>	760.0
	<b>Depth (+/- 5 mm)</b>	455.0
	<b>Inside Height of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Width of Locker (+/- 5 mm)</b>	N.A
	<b>Inside Depth of Locker (+/- 5 mm)</b>	N.A
	<b>Width of Stiffner (+/- 5 mm)</b>	N.A
	<b>Thickness of MS Sheet of Stiffner</b>	N.A
	<b>Stiffened Pedestal height in mm (<math>\pm 2</math> mm)</b>	120
	<b>Pedestal Width in mm (<math>\pm 2</math> mm)</b>	70
COLOUR & FINISH	<b>Finish</b>	powder coated
WARRANTY	<b>WARANTEE PERIOD IN NUMBER OF YEARS</b>	1

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

**Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	3	45

**Revolving Chair ( 11 pieces )****(Minimum 50% Local content required for qualifying as Class 1 Local Supplier)**

Brand Type	Registered Brand
------------	------------------

**Technical Specifications**[\\* As per GeM Category Specification](#)

Specification	Specification Name	Bid Requirement (Allowed Values)
MATERIAL	<b>Pedestal Base</b>	Wooden Cladded With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter
	<b>Arm Material</b>	Steel Covered with Wooden Cladding
	<b>seat material</b>	PU Foam Covered With pure leatherite
	<b>Material of Fabric Back Cover / Material for Backrest</b>	Leatherite, N.A
	<b>Material of Fabric of Seat Cover</b>	leatherite
GENERAL	<b>Chair Type</b>	Torsion Bar mechanism with single point locking
	<b>Height Adjustment ± 5(mm)</b>	up to 65 mm
	<b>Arm</b>	With
	<b>Type of backrest support</b>	backrest symmetrical lumber support
	<b>Arm Type</b>	Fixed
	<b>Ergonomic Seat Design</b>	Yes
	<b>Back type</b>	fixed
	<b>backrest has separate adjustable headrest</b>	No
	<b>Seat type</b>	fixed
	<b>Number of arm movement</b>	N.A
	<b>Lumber support</b>	integrated
DIMENSION	<b>Overall Chair Height ±15mm</b>	1140
	<b>Backrest Height ±15mm</b>	730.0

Specification	Specification Name	Bid Requirement (Allowed Values)
	<b>Backrest Width ±10mm</b>	520.0
	<b>Seat Height ±15 mm</b>	450
	<b>Seat Width ±10 mm</b>	520
	<b>Seat Depth ±10 mm</b>	520.0
	<b>Thickness of MS Plate Joining the under structure with Seat</b>	2.2
	<b>Thickness of Plywood used in Seat ±1(mm)</b>	15 mm
	<b>Thickness of Plywood used in Backrest ± 1(mm)</b>	15 mm
	<b>Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)</b>	50 mm
	<b>Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)</b>	50 mm
WARANTEE	<b>Warrantee period in number of years</b>	4-year
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA Certification</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007 certified</b>	YES
	<b>Green guard certification</b>	YES
	<b>Aiota</b>	YES

#### Input Tax Credit(ITC) and Reverse Charge(RCM) Details

ITC on GST	ITC on GST Cess	RCM Applicable	GST as per RCM	GST Cess 1 as per RCM	GST Cess 2 as per RCM	Optional RCM
NA	NA	Yes	12%	6%	6 (INR) - Per Unit	No

## Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Suraj Vishwambhar Gupta	400061,Central Institute of Fisheries Education Panch Marg, Off. Yari Road, Versova, Andheri West, Mumbai-400061	11	45

## Buyer Added Bid Specific Terms and Conditions

### 1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

### 2. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to provide Comprehensive Warranty during the entire Standard warranty period as per contract. : The comprehensive warranty shall be covering the following scope 1 (Upload an undertaking with the bid confirming compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of this compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

### 3. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name ICAR Unit CIFE, Mumbai Account No. 10132355212 IFSC Code SBIN0003117 Bank Name State Bank of India Branch address Versova, Andheri West, Mumbai.

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

## Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specification and / or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents / clauses shall also be null and void. If any seller has any objection / grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---Thank You---**